



GOLF COURSE PRODUCTS

THIS PRODUCT IS A PREMIUM GRADE HERBICIDE AND TURF FOOD COMBINATION WHICH CONTROLS A WIDE SPECTRUM OF BROADLEAF WEEDS WHILE PROVIDING BOTH FAST AND LONG FEEDING ACTION. CONTAINS 2.4-D. CLOPYRALID AND DICAMBA

Weeds contacted by this product gradually die and disappear from the lawn.

ACTIVE INGREDIENTS:	
Dimethylamine Salt of 2,4-D*	0.690%
Clopyralid Acid**	0.071%
Dicamba Acid***	
OTHER INGREDIENTS:	
TOTAL:	100.000%
BY ISOMER SPECIFIC METHOD, EQUIVALENT TO:	
*2,4-D Acid	0.573%
**Ćlopyralid Acid	0.071%
***Dicamba Acid	0.071%

EPA REG NO 228-343-57131

EPA EST. NO. 57131-WI-1

IN NEW YORK STATE. THIS PRODUCT MAY ONLY BE SOLD TO AND USED BY PROFESSIONAL APPLICATORS. AND IS PROHIBITED FROM SALE AND USE IN NASSAU AND SUFFOLK COUNTIES. IN CALIFORNIA, OREGON, AND WASHINGTON, TURFGRASS AND LAWN USES ARE RESTRICTED TO GOLF COURSES ONLY. This product cannot be used on Agricultural, Forest sites or Right-of-way

KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, call (877) 325-1840

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. PERSONAL PROTÉCTIVE EQUIPMENT (PPE):

All loaders, applicators, and other handlers must wear:

- long-sleeved shirt and long pants
- shoes plus socks
- chemical-resistant gloves made of any waterproof material

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

IF IN EYES:

 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This pesticide may be toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with it's labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Not for use on turf grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes. This product is for use on Ornamental Turf Lawns (Industrial and Institutional), Parks Cemeteries, Athletic and Recreational Sports Fields, Golf Courses (Fairways, Aprons, Tees* and Roughs) and similar turf areas. *Excluding Bentgrass Tees.

The maximum number of broadcast applications per treatment site is 2 per year

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust has settled.

Do not use on Centipede, Dichondra, and St. Augustine. Do not use this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants. Do not apply when air temperature exceeds 90°F. Avoid overlapping.

Do not use on residential turf. Do not collect grass clippings for mulch or compost. Do not send clippings to a compost facility. Applicator must give notice to landowners/property managers to not use grass clippings for mulching or composting.

WEEDS CONTROLLED

This product is designed to promote lush green growth in lawns and control many broadleaf weeds such as:

This product is accigned	to promote iden green g	iowai iii iawiio ana oonaoi man	y broadioar woodo odorr	
Alder	Common chickweed	Horsetail	Prostrate pigweed	Tanweed
Annual yellow sweet clover	Common mullein	Indiana mallow	Prostrate spurge	Tarweed
Artichoke	Common sowthistle	Ironweed	Prostrate vervain	Thistle
Aster	Corn Chamomile	Jewelweed	Puncture vine	Tick trefoil
Austrian fieldcress	Creeping jenny	Jimsonweed	Purslane	Toadflax
Bedstraw	Crimson clover	Kochia	Ragweed	Trailing Crownvetch
Beggartick	Croton	Knawel	Red clover	Tumble mustard
Biden	Cudweed	Knotweed	Redroot pigweed	Tumble pigweed
Bindweed	Curly dock	Lambsquarter	Red sorrel	Tumbleweed
Bird vetch	Curly indigo	Lespedeza	Redstem filaree	Velvet leaf
Bitterweed	Dandelion	Locoweed	Rough cinquefoil	Venice mallow
Bitter wintercress	Dead nettle	Lupine	Rough fleabane	Veronica
Black-eyed Susan	Dock	Mallow	Roundleafed marigold	Vervain
Black Medic	Dogbane	Marshelder	Rush	Vetch
Black Mustard	Dogfennel	Matchweed	Russian pigweed	Virginia buttonweed
Black-seed plantain	Elderberry	Mexicanweed	Russian thistle	Virginia creeper
Blessed thistle	English daisy	Milk vetch	St. Johnswort	Virginia pepperweed
Blue lettuce	Fall dandelion	Milkweed bloodflower	Scarlet pimpernel	Wavyleaf bullthistle
Blue vervain	False dandelion	Mugwort	Scotch thistle	Western clematis
Box elder	False flax	Morningglory	Sheep sorrel	Western salsify
Bracted plantain	False sunflower	Mousear chickweed	Shepherdspurse	White clover
Brassbuttons	Fiddleneck	Musk thistle	Slender plantain	White mustard
Bristly oxtongue	Field bindweed	Mustard	Smallflower galinsoga	Wild aster
Broadleaf dock	Field pansy	Narrowleaf plantain	Smartweed	Wild buckwheat
Broadleaf plantain	Flea bane (daisy)	Narrowleaf vetch	Smooth dock	Wild carrot
Broomweed	Flixweed	Nettle	Smooth pigweed	Wild four-o'-clock
Buckhorn	Florida betony	Orange hawkweed	Sneezeweed	Wild garlic
Buckhorn plantain	Florida pusley	Oxalis	Southern wild rose	Wild geranium
Bulbous buttercup	Frenchweed	Oxeye daisy	Sowthistle	Wild lettuce
Bull nettle	Galinsoga	Parsley-piert	Spanishneedle	Wild marigold
Bull thistle	Garlic mustard	Parsnip	Spatterdock	Wild mustard
Burdock	Goathead	Pearlwort	Speedwell	Wild onion
Burning nettle	Goatsbeard	Pennycress	Spiny amaranth	Wild parsnip
Bur ragweed	Goldenrod	Pennywort	Spiny cocklebur	Wild radish
Burweed	Ground ivy	Peppergrass	Spotted catsear	Wild rape
Buttercup	Gumweed	Pepperweed	Spotted knapweed	Wild strawberry
Canada thistle	Hairy bittercress	Pigweed	Spotted spurge	Wild sweet potato
Carolina geranium	Hairy fleabane	Pineywoods bedstraw	Spurge	Wild vetch
Carpetweed	Hawkweed	Plains coreopsis	Spurweed	Willow
Catchweed Bedstraw	Healall	Plantain	Stinging nettle	Witchweed
Catsear	Heartleaf drymary	Poison hemlock	Stinkweed	Woolly croton
Catnip	Hedge bindweed	Poison ivy	Stitchwort	Woolly morning-glory
Chickweed	Hedge mustard	Poison oak	Strawberry clover	Woolly plantain
Chicory	Hemp, Henbit	Pokeweed	Sumac	Woodsorrel
Cinquefoil	Hoary cress	Poorjoe	Sunflower	Wormseed
Clover	Hoary plantain	Povertyweed	Sweet clover	Yarrow
Cockle	Hoary vervain	Prickly lettuce	Tall nettle	Yellow rocket
Cocklebur	Honeysuckle	Prickly sida	Tall vervain	Yellowflower pepperwe
Coffeebean	Hop clover	Primrose	Tansy mustard	and other broadleaf
Coffeeweed	Horsenettle	Prostrate knotweed	Tansy ragwort	weeds

WHEN TO APPLY: Best results are obtained when weeds are growing actively in spring or early fall. Avoid contact with desirable shrubs, plants, vegetables, or flowers; especially when applying with a rotary (spinner) type spreader. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings. For optimum results (1) Avoid mowing1 to 2 days before and after application; (2) Apply when grass is moist (after a rain, sprinkling or dew); (3) Avoid unnecessary disturbances, including watering of treated areas for 48 hours after application. Watering will wash off weed killing material; and (4) Avoid applying if rainfall is expected within 48 hours following treatment. Possible retreatment in approximately 30 days may be necessary if lawn is heavily overrun with weeds or if adverse low moisture conditions prevail and weeds are in a state of poor growth. Do not exceed recommended rates because damage to turf may occur.

NOTE: When applying to listed Warm Season Grasses - under conditions of inadequate moisture, high temperature and high humidity, over-application may cause minor transitory discoloration. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of grass.

HOWTO APPLY: This 50 pound bag should be used on 12,500 square feet. Apply evenly with a lawn spreader as a one pass application. A two pass application, criss-crossing the area at half the rate each time is also acceptable.

The following settings are approximate for applying contents of this package at a suggested rate of 4 pounds per 1.000 square feet. Settings are based on an average walking speed. Reduce setting for a slower speed; raise setting for higher speed. Check your spreader on 250 square feet and adjust to apply at the rate of 1 pound per 250 square feet.

SPREADER SETTINGS 4 lbs Per 1,000 Sq. Ft.				
Spyker 24-22	4			
Scott's R8A				
Prizelawn CB Rotary	4			
Earthway 2400 Rotary	17			
Lely Broadcast	3.4			

Sweep (do not wash) all fertilizer materials from surfaces immediately after application, because certain fertilizer ingredients can cause permanent stains. Wash out spreader after each use and allow it to dry thoroughly. Treat any exposed metal spreader areas with oil to reduce corrosion.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Always use original container to store pesticides in a secured warehouse or storage building. Do not stack more than two pallets high. Do not store near open containers of fertilizer, seed or other pesticides.

PRODUCT DISPOSAL: Pesticide wastes are toxic. If container is damaged or if pesticide has leaked, clean up all spilled material. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment, then offer for recycling if available, or dispose of empty bag in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES. INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS. MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BYWAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER. IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY. CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF OR RISING OUT OF THE MISUSE. OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER, ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS TO THE EXTENT CONSISTENTWITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE RÉMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

Millennium Ultra is a Registered Trademark of Nufarm Americas Inc.

(RV012816N)

Distributed and Guaranteed by: Eau Claire Co-op Oil Co. P.O. Box 837, Eau Claire, WI 54702 www.ecgrow.com

NET WT. 50 LBS. (22.7 Kg)

Doc.# RP228-015-17