

Safety Data Sheet

Pylon TR Total Release Insecticide

Revision date : 2018/09/19
Version: 6.0

Page: 1/13
(30549054/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

Pylon TR Total Release Insecticide

Recommended use of the chemical and restriction on use

Recommended use*: insecticide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number: 539311
EPA Registration number: 499-544
Synonyms: Chlorfenapyr

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

STOT SE	3 (Vapours may cause drowsiness and dizziness.)	Specific target organ toxicity — single exposure
Flam. Aerosol	1	Flammable aerosols
Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic

Safety Data Sheet

Pylon TR Total Release Insecticide

Revision date : 2018/09/19
Version: 6.0

Page: 2/13
(30549054/SDS_CPA_US/EN)

Label elements

Pictogram:



Signal Word:
Danger

Hazard Statement:

H222	Extremely flammable aerosol.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H229	Pressurized container: May burst if heated.

Precautionary Statements (Prevention):

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P273	Avoid release to the environment.
P271	Use only outdoors or in a well-ventilated area.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.

Precautionary Statements (Response):

P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P391	Collect spillage.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	---

Hazards not otherwise classified

Labeling of special preparations (GHS):

Contains: 95 % m/m flammable components

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 50 - 51 % dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 50 - 51 % oral

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 50 - 51 % Inhalation - vapour

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 50 - 51 % Inhalation - mist

Safety Data Sheet

Pylon TR Total Release Insecticide

Revision date : 2018/09/19
Version: 6.0

Page: 3/13
(30549054/SDS_CPA_US/EN)

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
122453-73-0	4.5 %	Chlorfenapyr
68476-86-8	50.0 - 75.0%	Petroleum gases, liquefied, sweetened
67-64-1	25.0 - 50.0%	Acetone

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

Call a poison control center or physician for treatment advice.

If on skin:

Wash thoroughly with soap and water.

Call a poison control center or physician for treatment advice.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting unless told to by a poison control center or doctor. Call a poison control center or physician for treatment advice. Take patient to hospital immediately. Medical monitoring for at least 7 days.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further symptoms and / or effects are not known so far
Symptoms of poisoning may only appear after several hours or several days.

Hazards: Vomiting may cause aspiration pneumonia due to the ingredients.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote. Aspiration of this product during induced emesis can result in lung injury. If evacuation of stomach contents is considered necessary, use method least likely to cause aspiration, such

Safety Data Sheet

Pylon TR Total Release Insecticide

Revision date : 2018/09/19
Version: 6.0

Page: 4/13
(30549054/SDS_CPA_US/EN)

as gastric lavage after endotracheal intubation.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
foam, dry powder, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, hydrogen fluoride, halogenated hydrocarbons, hydrogen bromide, halogenated compounds, hydrocarbons
The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure. Risk of explosion at excessive temperatures.

Advice for fire-fighters

Protective equipment for fire-fighting:
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to

Safety Data Sheet

Pylon TR Total Release Insecticide

Revision date : 2018/09/19
Version: 6.0

Page: 5/13
(30549054/SDS_CPA_US/EN)

use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

Protect from temperatures above: 130 °F

Explosive at or above indicated temperature.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Acetone	OSHA PEL	PEL 1,000 ppm 2,400 mg/m ³ ; STEL value 1,000 ppm 2,400 mg/m ³ ; TWA value 750 ppm 1,800 mg/m ³ ;
	ACGIH TLV	TWA value 250 ppm ; STEL value 500 ppm ;

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Safety Data Sheet

Pylon TR Total Release Insecticide

Revision date : 2018/09/19
Version: 6.0

Page: 6/13
(30549054/SDS_CPA_US/EN)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Store work clothing separately.

9. Physical and Chemical Properties

Form:	aerosol
Odour:	of acetone
Odour threshold:	Not determined due to potential health hazard by inhalation.
Colour:	dark amber
pH value:	approx. 7 - 9 (23.8 °C)
Melting point:	approx. -95 °C Information applies to the solvent.
Boiling point:	approx. 56 °C Information applies to the solvent.
Flash point:	approx. -104 °C Information applies to the propellant.
Flammability:	Extremely flammable.
Ignition distance test for spray aerosols:	> 18 in no flashback
NFPA 30B flammability:	Level 3 Aerosol
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Vapour pressure:	approx. 246 hPa (20 °C) Information applies to the solvent.
Density:	approx. 0.83 g/cm ³ (20 °C)
Vapour density:	not applicable
Partitioning coefficient n-octanol/water (log Pow):	not applicable
Thermal decomposition:	carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, hydrogen fluoride, halogenated hydrocarbons, To be archived: Hydrocarbons Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.
Viscosity, dynamic:	0.43 mPa.s (21.3 °C)
Solubility in water:	dispersible

Safety Data Sheet

Pylon TR Total Release Insecticide

Revision date : 2018/09/19
Version: 6.0

Page: 7/13
(30549054/SDS_CPA_US/EN)

Evaporation rate: not applicable
Other Information: If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable.

Conditions to avoid

See MSDS section 7 - Handling and storage.

Incompatible materials

strong acids, strong oxidizing agents, strong bases

Hazardous decomposition products

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, hydrogen fluoride, halogenated hydrocarbons, To be archived: Hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Relatively nontoxic after single ingestion. Relatively nontoxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Oral

Type of value: LD50

Species: rat (female)

Value: > 5,000 mg/kg

No mortality was observed.

Safety Data Sheet

Pylon TR Total Release Insecticide

Revision date : 2018/09/19
Version: 6.0

Page: 8/13
(30549054/SDS_CPA_US/EN)

Inhalation

Type of value: LC50
Species: rat (male/female)
Value: > 2.05 mg/l
Exposure time: 4 h
An aerosol was tested.
No mortality was observed.

Dermal

Type of value: LD50
Species: rat (male/female)
Value: > 5,000 mg/kg

Assessment other acute effects

Assessment of STOT single:
Possible narcotic effects (drowsiness or dizziness).

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: May cause slight irritation to the skin. Causes substantial but temporary eye injury.

Skin

Species: rabbit
Result: Slightly irritating.

Eye

Species: rabbit
Result: Slightly irritating.

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Buehler test

Species: guinea pig
Result: Skin sensitizing effects were not observed in animal studies.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Acetone

Assessment of repeated dose toxicity: The substance may cause damage to the testes after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the hematological system after repeated ingestion of high doses. The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Safety Data Sheet

Pylon TR Total Release Insecticide

Revision date : 2018/09/19
Version: 6.0

Page: 9/13
(30549054/SDS_CPA_US/EN)

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: chlorfenapyr

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect.

Information on: Acetone

Assessment of reproduction toxicity: As shown in animal studies, the product may cause damage to the testes after repeated high exposures that cause other toxic effects.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Other Information

Misuse can be harmful to health.

Has a degreasing effect on skin.

Sweating and accompanying fever, digestive problems, emesis and diarrhea are common initial clinical signs of oral ingestion. Subsequent symptoms may include tremor and convulsions, tachycardia, muscle stiffness and weakness of limbs (sometimes leading to paralysis), hepatic and renal dysfunction, pancreatitis, drowsiness and sudden disturbance of consciousness, followed by coma.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further symptoms and / or effects are not known so far
Symptoms of poisoning may only appear after several hours or several days.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic (acute effect) to aquatic organisms.

Toxicity to fish

Information on: chlorfenapyr

LC50 (96 h) 0.00744 mg/l, Oncorhynchus mykiss

Information on: Acetone

LC50 (96 h) 6,210 mg/l, Pimephales promelas (OECD 203; ISO 7346; 84/449/EEC, C.1, Flow through.)

The statement of the toxic effect relates to the analytically determined concentration.

LC50 (96 h) 5,540 mg/l, Oncorhynchus mykiss (Fish test acute, static)

Safety Data Sheet

Pylon TR Total Release Insecticide

Revision date : 2018/09/19
Version: 6.0

Page: 10/13
(30549054/SDS_CPA_US/EN)

Nominal concentration.

Aquatic invertebrates

Information on: chlorfenapyr
EC50 (96 h) 0.00203 mg/l, Mysidopsis bahia (Directive 84/449/EEC, C.2)

Information on: Acetone
LC50 (48 h) 8,800 mg/l, Daphnia pulex (Daphnia test acute, static)
Nominal concentration.
LC50 (24 h) 2,100 mg/l, Artemia salina (Daphnia test acute, static)
Nominal concentration.

Aquatic plants

Information on: chlorfenapyr
EC50 (72 h) 0.132 mg/l, Desmodesmus subspicatus

Information on: Acetone
Toxic limit concentration (8 d) 530 mg/l (biomass), Microcystis aeruginosa (DIN 38412 Part 9, static)
Nominal concentration.

Persistence and degradability

Assessment biodegradation and elimination (H₂O)

Information on: chlorfenapyr

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Bioaccumulation potential

Information on: chlorfenapyr

Bioconcentration factor: 116, Cyprinus carpio
Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments

Information on: chlorfenapyr

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

Safety Data Sheet

Pylon TR Total Release Insecticide

Revision date : 2018/09/19
Version: 6.0

Page: 11/13
(30549054/SDS_CPA_US/EN)

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

14. Transport Information

Land transport

USDOT

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1, EHSM
Proper shipping name: AEROSOLS

Sea transport

IMDG

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1, EHSM
Marine pollutant: YES
Proper shipping name: AEROSOLS (contains HYDROCARBON PROPELLENT, CHLORFENAPYR)

Air transport

IATA/ICAO

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1
Proper shipping name: AEROSOLS, FLAMMABLE

Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US blocked / not listed
Crop Protection TSCA, US released / exempt

Safety Data Sheet

Pylon TR Total Release Insecticide

Revision date : 2018/09/19
Version: 6.0

Page: 12/13
(30549054/SDS_CPA_US/EN)

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

<u>CERCLA RQ</u>	<u>CAS Number</u>	<u>Chemical name</u>
5000 LBS	67-64-1	Acetone

State regulations

<u>State RTK</u>	<u>CAS Number</u>	<u>Chemical name</u>
PA	67-64-1	Acetone
MA	67-64-1	Acetone
NJ	67-64-1	Acetone

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

WARNING:

Causes substantial but temporary eye injury.
Do not get in eyes, on skin, or on clothing.

Wash thoroughly after handling.

Flammable Liquid

Aerosol container contains flammable gas under pressure.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2018/09/19

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED

Safety Data Sheet

Pylon TR Total Release Insecticide

Revision date : 2018/09/19
Version: 6.0

Page: 13/13
(30549054/SDS_CPA_US/EN)

A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
END OF DATA SHEET