VK2 smaller size3 5/4/04 3:29 PM Page 1

FOGGING SOLUTION

DLING. AVOID CONTACT WITH EYES.

AT LEAST 15 MINUTES. CALL A PHYSICIAN.

FIRE, SPILL, OR LEAK PROCEDURES FIRE - USE WATER SPRAY, FOAM, DRY CHEMICAL,

SPILL OR LEAK- IN CASE OF SPILL OR LEAK CON-

STORAGE AND HANDLING PROCEDURES PROTECTIVE GEAR- CHEMICAL SAFETY GOGGLES

STORAGE & HANDLING- KEEP CONTAINERS

AND EQUIPMENT. REFER TO LATEST MATERIAL

SAFETY DATA SHEET (MSDS) FOR ADDITIONAL

ATTENTION- EMPTIED CONTAINER RETAINS VAPOR AND PRODUCT RESIDUE - DO NOT CUT

OR WELD ON OR NEAR THIS CONTAINER - OBEY

ALL LABEL WARNINGS ESPECIALLY DURING DRUM

CLEANING - DO NOT REUSE THIS DRUM OR

REMOVE THE LABEL UNLESS THOROUGHLY

INFORMATION BEFORE USING THIS PRODUCT.

INGREDIENTS- PLEASE REFER TO MSDS FOR

PERSON. CALL A PHYSICIAN.

OR CARBON DIOXIDE.

AND GLOVES.

THIS PRODUCT

CLEANED.

TACT LOCAL AUTHORITIES.



ornamentals. Pesticides must be applied at the registered rate that appears on the product label. To calculate the amount of pesticide to be added to VKII - Water mixture for fogging - 1.) Determine quantity of pesticide recommended for 150 litres (40 IMMEDIATELY BY GIVING TWO GLASSES OF WATER gallons) of water under a spraying program. 2.) Mix this quantity of wettable powder pesticide with 1 1/2 litres of water and 1/2 AND STICKING FINGER DOWN THROAT. NEVER litre of VKII. Make a lump free paste before adding all the water. 3.) Apply this 2 litres into 10,000 square feet of greenhouse GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS area through the Pulsfog machine. 4.) Do not add more than 100 grams (3.5 ounces) per one litre of VKII/water solution. If EYE CONTACT- IN CASE OF CONTACT, IMMEDIyou apply 300 grams (10.5 ounces) per 10,000 square feet you need 3 litres of VKII/water solution.

ATELY FLUSH EYES WITH PLENTY OF WATER FOR For dense foliage crops use the calculated quantity of pesticide in 2.5 litres of water and 1.5 litres of VKII for 10,000 sg. feet.

FOR AUTOFOG: 5% of your total solution should be VKII

ALWAYS WEAR PROTECTIVE CLOTHING WHEN HANDLING PESTICIDES.

BEFORE FOGGING: completely clear the greenhouse of personnel and obstructions. Close all doors and ventilators. FOGGING IN THE GREENHOUSE: Never direct the fog at the plants. Treat the first 16 feet in front of the Pulsfog machine as a hazard zone (highly concentrated fog). Do not direct the fog against any obstructions. Aim the machine so that the fog can move freely along a ridge or walkway to obtain thorough coverage. Walk backwards directing the fog away from the direction of travel and above the crop.

FOGGING FROM OUTSIDE THE GREENHOUSE: The Pulsfog machine can be directed through an opening in the green house from the outside to completely fog all adjacent areas provided that the area in front of the Pulsfog is obstruction free. CLOSED WHEN NOT IN USE. GROUND DRUMS In large greenhouse ranges the Pulsfog machine can be moved from opening to opening to treat the complete area thoroughly. After fogging - clean machine with cleaning solution - lock all doors and erect warning notices on doors

- leave area closed and locked overnight

FOR

- a ventilation period of 1 hour should be allowed next morning before working is resumed, remove warning notices on doors.

PRECAUTIONS:

RECOMMENDED GREENHOUSE TEMPERATURES: Insecticide applications 64° - 86° F • Fungicide application 54° - 77° F Mix only the required amount of VKII/water and pesticide and use immediately. DO NOT STORE VKII/WATER PESTICIDE MIXTURES. Observe the precautions on the pesticide label when mixing and pouring the VKII/Pesticide solution and when ventilating or entering a treated area. Wear complete protective clothing. This includes a hat, jacket, trousers, boots, rubber gloves and an industrial size gas mask with a GMP industrial canister when fogging VKII/Pesticide solutions.

RE-ENTRY TIME AFTER FOGGING: Do not re-enter the greenhouse after fogging until the next morning and until the green house has been ventilated for a period of 1 hour.

HEALTH-FLAMMABILITY- 1 HAZARD INDEX

4- SEVERE HAZARD 3- SERIOUS HAZARD 2- MODERATE HAZARD 1- SLIGHT HAZARD 0- MINIMAL HAZARD

WARNING !!- BEFORE OPENING THIS CONTAINER, AND/OR USING THE CONTENTS, IT IS ESSENTIAL THAT YOU CONSULT THE "MATERIAL SAFETY DATA SHEET" DESCRIBING THE PRODUCT CONTAINED WITHIN, AS WELL AS POSSIBLE KNOWN HAZARDS. IF YOUR COMPANY DOES NOT HAVE SUCH A SHEET, CONTACT: DRAMM CORPORATION -PO BOX 1960, MANITOWOC, WI 54221-1960

LOT NU

DRAMM CORPORATION PO BOX 1960 2000 NORTH 18TH STREET MANITOWOC, WI 54220

920-684-0227 Fax: 920-684-0193 www.dramm.com

FIRST AID INSTRUCTIONS: If swallowed make patient vomit by giving Syrup or Ipecac. The dose of lpecac is one (1) Tablespoon full (15cc) followed by 1 glass (8 oz.) of water. If gotten on skin, wash with soap and water for at least 15 minutes. If gotten into eyes, flush eyes with lukewarm water for 15 minutes. After all situations, call a Poison Center, Emergency Room or Doctor for more advice. If ingested or doused with solution when it has been mixed with a pesticide go directly to a Poison Center or Emergency Room.

REACTIVITY- 0

HMIS RATING NUMBER

IMMEDIATELY TO OBTAIN THE SHEET BEFORE **OPENING THE CONTAINER!!**

JMBER	NET CONTENT